

The Garth, Lanercost Priory
Close to the southern boundary

| No | Species | DBH | Height | Vigour | Age Class | Observations | Location of Defect | Defects | Defect Severity |
|----|----------|-----|--------|-------------------|------------|--|--------------------|--|-----------------|
| 1 | Sycamore | 60 | 16 | Moderate Vitality | Mature | Lower branches removed to a height of about 6m | Trunk | Pruning wounds <13cm in diameter; no apparent decay | Minor |
| | | | | | | | Twigs | Dead | Minor |
| 2 | Sycamore | 82 | 16.5 | Early Decline | Old Mature | | Whole Tree | Reduced vitality | Moderate |
| | | | | | | | Twigs | Dead | Minor |
| | | | | | | | Trunk | Lower branches removed; wounds <25cm in diameter, no apparent decay. | Minor |
| | | | | | | | Crown | Weight biased To the SSE & the building | Minor |

The Garth, Lanercost Priory
At the west to the south of the drive

| No | Species | DBH | Height | Vigour | Age Class | Observations | Location of Defect | Defects | Defect Severity |
|----|---------|-------|---------|-----------------|--------------|--------------|--------------------|---|-----------------|
| 3 | Group | 27-55 | 10-13.5 | Normal Vitality | Early mature | | Crown | Weight biased In different directions | Minor |
| | Oak x 5 | | | | | | Base of trunk | Wounded and decaying The smallest tree | Moderate |
| | | | | | | | Lateral branches | Dead <12cm x 4m | Minor |

The Garth, Lanercost Priory
To the south of the entrance arch

| No | Species | DBH | Height | Vigour | Age Class | Observations | Location of Defect | Defects | Defect Severity |
|----|----------|-----|--------|---------------|-----------|--------------|---------------------|---|-----------------|
| 4 | Sycamore | 140 | 23.5 | Early Decline | Ancient | | Base of trunk | Decay | Moderate |
| | | | | | | | Structural branches | Decay Dryads saddle fruit body on ground | Moderate |
| | | | | | | | Stem | Canker At 6-8m | Moderate |

The Garth, Lanercost Priory
To the north of the entrance arch

| No | Species | DBH | Height | Vigour | Age Class | Observations | Location of Defect | Defects | Defect Severity |
|----|----------|-----|--------|-------------------|-----------|--------------|---------------------|--|-----------------|
| 5 | Sycamore | 120 | 16 | Moderate Vitality | Ancient | | Structural branches | Growing from a decaying stump | Major |
| | | | | | | | Trunk | Massive decay | Major |
| | | | | | | | Structural branches | Storm damage Failed in the past & the wounds are decaying | Major |

The Garth, Lanercost Priory
At the west to the north of the drive

| No | Species | DBH | Height | Vigour | Age Class | Observations | Location of Defect | Defects | Defect Severity |
|----|-----------------------------|-------|---------|-------------------|-----------------|--------------|--------------------|--|-----------------|
| 6 | Group | 34-46 | 14-14.5 | Normal Vitality | Juvenile mature | | Lateral branches | Dead <5cm x 4m | Minor |
| | Red oak x 3 | | | | | | Crown | Weight biased In different directions | Minor |
| 7 | Sycamore | 95 | 19 | Moderate Vitality | Old Mature | | Stem | Decaying branch stub At 5-6m | Moderate |
| | | | | | | | Lateral branches | Dead <15cm x 3m | Minor |
| 8 | Oak | 127 | 17.5 | Normal Vitality | Old Mature | | Branch Stubs | Dead & decaying <30cm x 2m | Minor |
| | Burrs on the main branches. | | | | | | Lateral branches | Dead <13cm x 4m | Minor |
| | | | | | | | Structural branch | Cavity <15cm x 50cm at 5m on the ENE | Moderate |

The Garth, Lanercost Priory
At the west to the north of the drive

| No | Species | DBH | Height | Vigour | Age Class | Observations | Location of Defect | Defects | Defect Severity |
|----|--------------|-------|---------|-----------------|--------------|--------------|--------------------|------------------------------------|-----------------|
| 9 | Group | 30-46 | 16.5-18 | Normal Vitality | Early mature | | Crown | Weight biased In all directions | Minor |
| | Sycamore x 8 | | | | | | Lateral branches | Dead <3cm x 2m | Minor |

The Garth, Lanercost Priory
Close to the northern boundary

| No | Species | DBH | Height | Vigour | Age Class | Observations | Location of Defect | Defects | Defect Severity |
|-----------|---------|-------|-----------|-----------------|--------------|--------------|--------------------|--|-----------------|
| 10 | Group | 29-57 | 12.5-15.5 | Normal Vitality | Early mature | | Crown | Weight biased In all directions | Minor |
| Lime x 5. | | | | | | | Stem(s) | Acute stem unions (stable at time of inspection) On all the trees; once these start to fail these trees may need to be removed or pollarded | Moderate |
| | | | | | | | Lower trunk | Bark cankers The tree at the E of the group | Moderate |

The Garth, Lanercost Priory
Close to the northern boundary

| No | Species | DBH | Height | Vigour | Age Class | Observations | Location of Defect | Defects | Defect Severity |
|----|----------|-----|--------|-------------------|------------|--------------|---------------------|--|-----------------|
| 11 | Sycamore | 79 | 13.5 | Moderate Vitality | Old Mature | | Structural branches | Lost its top in the past; the wound will be decaying | Minor |
| | | | | | | | Base of trunk | Decay | Moderate |
| | | | | | | | Base of trunk | Bleeding bark cankers (active) Indicate that the target canker is expanding | Moderate |
| | | | | | | | Trunk | Decaying cavity <13cm in diameter at 3m on the SW | Minor |
| | | | | | | | Base of trunk | Large target canker <90cm wide; some decay. | Moderate |
| | | | | | | | Crown | Weight biased To the N & the road | Minor |
| | | | | | | | Lateral branches | Dead <6cm x 1.5m | Minor |

The Garth, Lanercost Priory
Close to the northern boundary

| No | Species | DBH | Height | Vigour | Age Class | Observations | Location of Defect | Defects | Defect Severity |
|---------------------------|----------|-------|---------|-------------------|--------------|--------------|--------------------|---|-----------------|
| 12 | Group | 31-53 | 11-17.5 | Normal Vitality | Early mature | | Stem(s) | Acute stem union (stable at time of inspection) On the tree on the SE of the group at 3-4m | Moderate |
| Beech x 6 | | | | | | | | | |
| | | | | | | | Crowns | Weight biased In all directions | Minor |
| 13 | Sycamore | 117 | 19.5 | Normal Vitality | Old Mature | | Lateral branches | Dead <11cm x 5m; not overhanging the road. | Minor |
| Five main stems above 5m. | | | | | | | | | |
| 14 | Sycamore | 98 | 20.5 | Moderate Vitality | Old Mature | | Base of trunk | Massive decay | Major |
| | | | | | | | Structural branch | Dead patches of bark & exposed wood On the branch growing to the N & the road | Major |
| | | | | | | | Trunk | Dead patches of bark | Moderate |
| | | | | | | | Crown | Weight biased To the N & the road | Moderate |

The Garth, Lanercost Priors
Close to the northern boundary

| No | Species | DBH | Height | Vigour | Age Class | Observations | Location of Defect | Defects | Defect Severity |
|----|--------------|-------|---------|-------------------|--------------|--------------|--------------------|--|-----------------|
| 15 | Group | 24-47 | 10-12.5 | Moderate Vitality | Early mature | | Lateral branches | Dead <10cm x 3m | Minor |
| | Hornbeam x 5 | | | | | | Crown | Weight biased In all directions | Minor |
| 16 | Sycamore | 87 | 16 | Early Decline | Old Mature | | Trunk | Dead patches of bark Around & under the main union at 2.5m | Moderate |
| | | | | | | | Twigs | Dead | Minor |
| | | | | | | | Base of trunk | Bleeding bark cankers (active) | Moderate |

The Garth, Lanercost Priory
Close to the eastern boundary

| No | Species | DBH | Height | Vigour | Age Class | Observations | Location of Defect | Defects | Defect Severity |
|----|----------|-------------|--------|-------------------|--------------|--------------|---------------------|---|-----------------|
| 17 | Sycamore | 125 | 21.6 | Moderate Vitality | Old Mature | | Crown | Weight biased To the N & the road | Moderate |
| | | | | | | | Lateral branches | Dead <15cm x 2m | |
| | | | | | | | Structural branches | Wounded and decaying Where it has lost branches in the past at 6, 8 & 10m | Moderate |
| 18 | Lime | 47 | 15-20m | Normal Vitality | Early mature | | Stem(s) | Acute stem union (stable at time of inspection) At 3m | Moderate |
| 19 | Hawthorn | 12 at 1m | 4 | Moderate Vitality | Early mature | | | Too small to pose a significant risk | |

The Garth, Lanercost Priory
Close to the eastern boundary

| No | Species | DBH | Height | Vigour | Age Class | Observations | Location of Defect | Defects | Defect Severity |
|----|----------------|-----|--------|-----------------|--------------|--------------|--------------------------------|---|-----------------|
| 20 | Southern beech | 54 | 16.5 | Normal Vitality | Early mature | | Base of trunk | Decaying cavity; occluding Very old. <3cm wide & 1.1m high | Moderate |
| | | | | | | | Trunk | Leans To the NE | Moderate |
| | | | | | | | Crown | Weight biased To the NE | Moderate |
| 21 | Sycamore | 105 | 21.5 | Early Decline | Old Mature | | Trunk & structural branches | Dead patches of bark There may be some underlying decay. | Minor |
| | | | | | | | Trunk | Bark anomaly at 4-6m; there may be some underlying decay. | Moderate |
| | | | | | | | Trunk | Exudation(s) At 1.2m on the S & 6m on the NW | Moderate |
| | | | | | | | Structural branches | Wounded and decaying Where branches have broken from the tree in the past | Moderate |
| | | | | | | | Crown | Weight biased To the W & the field | Minor |